



Hot Rolled and Galvanized Sheets

Gage No.	Hot Rolled		Galvanized		
	Decimal Equivalent	Lbs. Per Sq. Ft.	Decimal Equivalent	Tolerance Range	Lbs. Per Sq. Ft.
7	.1793	7.500			
8	.1644	6.875			
9	.1495	6.250			
10	.1345	5.625	.1382	.1472 to .1292	5.781
11	.1196	5.000	.1233	.1323 to .1143	5.156
12	.1046	4.375	.1084	.1174 to .0994	4.531
13	.0897	3.750	.0934	.1014 to .0854	3.906
14	.0747	3.125	.0785	.0865 to .0705	3.281
15	.0673	2.813	.0710	.0770 to .0650	2.969
16	.0598	2.500	.0635	.0695 to .0575	2.656
17	.0538	2.250	.0575	.0625 to .0525	2.406
18	.0478	2.000	.0516	.0566 to .0466	2.156

Standard Sizes For Sheets:

- 48"x96"
- 48"x120"
- 60"x120"
- Inquire for Custom Cut to Size Pieces/ Sheets

Please Inquire For Additional Information on other Thicknesses not Listed

SALES: 973-824-7347

SALES@ALLIEDSTEEL.COM

We Accept

