


ALLIED STEEL


A Division Of Allied Metal Industries



Structural Steel Rectangular Tubing

ASTM A-500 Grade B and C

Stock Lengths 20, 24, 40 and 48 Ft.



Nominal Size In Inches	Wall Thickness In Inches	Weight Per Ft. In Lbs.
3 x 1-1/2	3/16	4.96
	1/4	6.25
3 x 2	3/16	5.59
	1/4	7.11
	5/16	8.45
3-1/2 x 1-1/2	3/16	5.59
	1/4	7.11
3-1/2 x 2-1/2	3/16	6.87
	1/4	8.81
	5/16	10.58
4 x 1-1/2	3/16	6.21
	3/16	6.87
	1/4	8.81
	5/16	10.58
4 x 2	3/8	12.17
	3/16	8.15
	1/4	10.51
	5/16	12.70
4 x 3	3/8	14.72
	3/16	8.15
	1/4	10.51
5 x 2	5/16	12.70
	3/8	14.72
	3/16	8.15
5 x 2-1/2	1/4	10.51
	3/8	13.00
	3/16	8.78
5 x 3	1/4	11.36
	3/16	9.42
	1/4	12.21
	5/16	14.83
5 x 4	3/8	17.27
	1/2	21.63
	3/16	10.70
	1/4	13.91
	5/16	16.96
	3/8	19.82

SALES: 973-824-7347


SALES@ALLIEDSTEEL.COM

We Accept



ALLIED STEEL

A Division Of Allied Metal Industries



Structural Steel Rectangular Tubing

ASTM A-500 Grade B and C

Stock Lengths 20, 24, 40 and 48 Ft.



Nominal Size In Inches	Wall Thickness In Inches	Weight Per Ft. In Lbs.
6 x 2	1/8	6.46
	3/16	9.42
	1/4	12.21
	5/16	14.83
	3/8	17.27
6 x 3	3/16	10.70
	1/4	13.91
	5/16	16.96
	3/8	19.82
	1/2	25.03
6 x 4	3/16	11.97
	1/4	15.62
	5/16	19.08
	3/8	22.37
	1/2	28.43
6 x 5	3/16	13.25
	1/4	17.32
	5/16	21.21
	3/8	24.93
	1/2	31.81
7 x 3	3/16	11.98
	1/4	15.62
	5/16	19.08
	3/8	22.37
	1/2	28.43
7 x 4	3/16	13.25
	1/4	17.32
	5/16	21.21
	3/8	24.93
	1/2	31.84
7 x 5	3/16	14.53
	1/4	19.02
	5/16	23.34

SALES: 973-824-7347


SALES@ALLIEDSTEEL.COM

We Accept



ALLIED STEEL

A Division Of Allied Metal Industries



Structural Steel Rectangular Tubing

ASTM A-500 Grade B and C

Stock Lengths 20, 24, 40 and 48 Ft.



Nominal Size In Inches	Wall Thickness In Inches	Weight Per Ft. In Lbs.
7 x 5	3/8	27.48
	1/2	35.24
8 x 2	3/16	11.97
	1/4	15.62
	5/16	19.08
	3/8	22.37
8 x 3	3/16	13.25
	1/4	17.32
	5/16	21.21
	3/8	24.93
	1/2	31.84
8 x 4	3/16	14.53
	1/4	19.02
	5/16	23.34
	3/8	27.48
	1/2	35.24
	5/8	42.29
8 x 6	3/16	17.08
	1/4	22.42
	5/16	27.59
	3/8	32.58
	1/2	42.05
	5/8	50.81
9 x 3	3/16	14.53
	1/4	19.02
	5/16	23.34
	3/8	27.48
	1/2	35.24
9 x 5	1/4	22.42
	5/16	27.59
	3/8	32.58
	1/2	42.05

SALES: 973-824-7347


SALES@ALLIEDSTEEL.COM

We Accept



ALLIED STEEL

A Division Of Allied Metal Industries



Structural Steel Rectangular Tubing

ASTM A-500 Grade B and C

Stock Lengths 20, 24, 40 and 48 Ft.



Nominal Size In Inches	Wall Thickness In Inches	Weight Per Ft. In Lbs.
9 x 7	3/16	19.63
	1/4	25.82
	5/16	31.84
	3/8	37.69
	1/2	48.84
10 x 2	5/8	59.32
	3/16	14.53
	1/4	19.02
	5/16	23.34
	3/8	27.48
10 x 3	3/16	15.80
	1/4	20.72
	5/16	25.47
10 x 4	3/16	17.08
	1/4	22.42
	5/16	27.59
	3/8	32.58
	1/2	42.05
10 x 5	5/8	50.77
	3/16	18.35
	1/4	24.12
	5/16	29.72
10 x 6	3/8	35.14
	3/16	19.63
	1/4	25.82
	5/16	31.84
10 x 8	3/8	37.69
	1/2	48.85
	5/8	59.30
	3/16	22.18
	1/4	29.29
	5/16	36.10
	3/8	42.79

SALES: 973-824-7347


SALES@ALLIEDSTEEL.COM

We Accept



ALLIED STEEL

A Division Of Allied Metal Industries



Structural Steel Rectangular Tubing

ASTM A-500 Grade B and C

Stock Lengths 20, 24, 40 and 48 Ft.



Nominal Size In Inches	Wall Thickness In Inches	Weight Per Ft. In Lbs.
10 x 8	1/2	55.66
	5/8	67.82
12 x 2	3/16	17.08
	1/4	22.42
	5/16	27.59
12 x 3	3/8	32.58
	3/16	18.35
	1/4	24.12
12 x 4	5/16	29.50
	3/8	35.14
	3/16	19.63
	1/4	25.82
12 x 6	5/16	31.84
	3/8	37.69
	1/2	48.85
	5/8	59.33
	3/16	22.18
12 x 8	1/4	29.23
	5/16	36.10
	3/8	42.79
	1/2	55.66
	5/8	67.82
	3/16	24.73
12 x 10	1/4	32.63
	5/16	40.35
	3/8	47.90
	1/2	62.46
	5/8	76.30
	1/4	36.03
	5/16	44.60
	3/8	53.00
	1/2	69.30

SALES: 973-824-7347


SALES@ALLIEDSTEEL.COM

We Accept



ALLIED STEEL


A Division Of Allied Metal Industries



Structural Steel Rectangular Tubing

ASTM A-500 Grade B and C

Stock Lengths 20, 24, 40 and 48 Ft.



Nominal Size In Inches	Wall Thickness In Inches	Weight Per Ft. In Lbs.
14 x 4	3/16	22.18
	1/4	29.23
	5/16	36.10
	3/8	42.79
	1/2	55.66
14 x 6	1/4	32.63
	5/16	40.30
	3/8	47.90
	1/2	62.46
	5/8	76.33
14 x 10	5/16	48.86
	3/8	58.10
	1/2	76.07
	5/8	93.35
16 x 4	5/16	40.35
	3/8	47.90
	1/2	62.46
	5/8	76.07
16 x 8	1/4	39.40
	5/16	48.86
	3/8	58.10
	1/2	76.07
	5/8	93.35
16 x 12	5/16	57.35
	3/8	68.31
	1/2	89.60
	5/8	110.35
18 x 6	1/4	39.43
	5/16	48.86
	3/8	58.00
	1/2	76.07
	5/8	93.36
20 x 4	5/16	48.86
	3/8	58.10

SALES: 973-824-7347


SALES@ALLIEDSTEEL.COM

We Accept



ALLIED STEEL

A Division Of Allied Metal Industries



Structural Steel Rectangular Tubing

ASTM A-500 Grade B and C

Stock Lengths 20, 24, 40 and 48 Ft.



Nominal Size In Inches	Wall Thickness In Inches	Weight Per Ft. In Lbs.
20 x 4	1/2	76.07
20 x 8	5/16	57.36
	3/8	68.31
	1/2	89.68
20 x 12	5/8	110.36
	5/16	65.87
	3/8	78.55
	1/2	103.30
	5/8	127.37

SALES: 973-824-7347

SALES@ALLIEDSTEEL.COM

We Accept

